

Date of Printing: 10.04.2024 SDS/Zircoat-M/Rev 3 Created: 10/04/2024

Section 1.0 Identification of the substance / mixture and of the company

1.1 Product Identifier

Product Name : ZIRCOAT®-M JYOTI

HSN Code : 3816 0000
Physical state : Powder
Formula : ZrSiO4
Synonyms : NA

Chemical family : Inorganic Silicate

1.2 Recommended use of the chemical and restrictions on use

Recommended use : Refractory Coating Compound / Cement

For research and industrial use only

1.3 Details of the supplier of the safety data sheet

Jyoti Ceramic Industries Pvt Ltd C-21, N.I.C.E, Satpur Nashik Maharashtra India Tel +91-253-2350120/2351251 Fax +91-253-2350023

www.jyoticeramic.com

E-mail: info@jyoticeramic.com

For EU member states:

EC REP

Jyoti Ceramic GmbH

Frankenstr. 12, 90762 Fürth, Germany

Tel: +49 911 7871 2084; Fax +49 911 7871 2082

E-Mail: sales@jyoticeramic.com

1.4 Emergency Telephone Number

Jyoti Ceramic Industries Pvt Ltd

+ 91-253-2350120

Reachable during office hours (Indian Standard time):Sunday - Friday: 9.00 AM - 5.00 PM

Jyoti Ceramic GmbH

+49 911 7871 2084;

Reachable during office hours (Central European time):Monday - Friday: 8.30 AM - 5.00 PM



SDS/Zircoat-M/Rev 3 Date of Printing: 10.04.2024 Created: 10/04/2024

Section 2.0 Hazard(s) identification

Classification of the substance or mixture: 2.1

H301: Toxic if swallowed H315: Causes skin irritation

H318: Causes serious eve damage May cause respiratory irritation H335 :



2.2 Label elements

2.3 Hazards not otherwise classified (HNOC) : No additional information available 2.4 Precautionary Statements : P264, P265, P261, P271, P280, P501

> Section 3.0 Composition / Information on Ingredients

3.1 : Not Applicable **Substance**

3.2 **Mixture**

> Name : Zircoat M (Zirconium Silicate Cement)

CAS No. : NA **EINECS No** : NA

Name of ingredient	Product Identifier (CAS No)	EINECS No	Wt %	GHS classification	REACH Reg.
Zirconium Silicate	14940-68-2	239-019-6	> 85	Not classified	
Binder	Proprietary*		< 10	H314 H315 H318	
Additive	Proprietary*		< 3	H301	

^{*}The chemical identity is withheld because it is trade secret information of Jyoti Ceramic Industries

Full text of hazard classes and H-statement: see section 15

Section 4.0 Description of First Aid measures

4.1 **Description of first aid measures**

General Remove contaminated clothing and shoes. In case of accident or if

> you feel unwell, seek medical advice immediately (show the label where possible). If possible show this sheet; If not available show

packaging or label.



Date of Printing: 10.04.2024 SDS/Zircoat-M/Rev 3 Created: 10/04/2024

After inhaled : In case if powder / dust is inhaled and there symptoms of cough

or shortness of breath, move from exposure to a well ventilated

place, and if breathing difficulty occurs then consult a

physician.

After skin contact : If irritation to skin occurs then wash the affected area with fresh

and clean water. Remove contaminated clothing.

After eye contact : If irritation occurs flush the eyes with fresh clean running tap water.

Get medical attention if irritation continues.

After Ingestion : If substantial quantity of dust is swallowed, dilute with large

amount of water, then consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

Powder / Product dust generated through handling or post-setting grinding, sanding and machining may cause irritation to the mucous membrane, eyes, skin and respiratory organs.

Symptoms/injuries after inhalation : May cause irritation : May cause skin irritation : May cause skin irritation : May cause skin irritation : May cause eye irritation : May cause eye irritation : No information available

4.3 Indication of any immediate medical attention and special treatment method

No additional information available

Section 5.0 Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Product is not combustible and non explosive.

Use a suitable extinguishing media for the

surrounding fire

Unsuitable extinguishing media : None known

5.2 Special hazards arising from the substrate or mixture

Fire hazard : None known

5.3 Advice for firefighters

Protection during firefighting : Do not enter fire area without proper protective

equipment, including respiratory protection. Avoid contact with skin and eyes. Do not breathe dust.



Date of Printing: 10.04.2024 SDS/Zircoat-M/Rev 3 Created: 10/04/2024

Section 6.0 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

Protective equipment : Wear protective equipment as described in

Section 8

Emergency procedures : Evacuate unnecessary and unprotected personnel.

6.1.2 For emergency responders

Protective equipment : Do not attempt to take action without suitable

protective equipment. Equip cleanup crew with proper protection. Use protective clothing, dust

mask, and eye protection. For further information refer to

section 8: "Exposure controls/personal protection".

6.2 Environmental Precautions : Prevent entry of product into sewers and public

waters.

Notify authorities if product enters sewers or public

waters.

6.3 Methods and material for contamination and cleaning up

For containment : Prevent migration and entry into sewers or streams

Methods for cleaning up : Collect the spilt material by vacuum or manually

for disposal and land filling as per local regulations.

6.4 Reference to other sections:

See Heading 8. Exposure controls and personal protection

> Section 7.0 Handling and storage

7.1 Precautions for safe handling

Use safety shoes while handling. Wear safety glasses for eye protection. Sweep up and recover into a container for reuse or disposal. Wear personal protecting clothing including particle filter/dust mask and eye protection.

7.2 Hygiene Measures

Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.



Date of Printing: 10.04.2024 SDS/Zircoat-M/Rev 3 Created: 10/04/2024

7.3 Conditions for safe storage, including any incompatibilities:

Storage conditions : Keep container tightly closed

Incompatible materials : Not known

Storage area : Material should be stored in well protected

dry place, in its original packing.

7.4 Specific end uses

See section 1.2

> Section 8.0 Exposure controls and personal protection

8.1 Control parameters

Product dust generated through handling, grinding, or sanding may cause irritation to the mucous membrane, eyes, skin and respiratory organs. The limits of dust concentration (mg/m³) at the work-place have to be considered.

Zirconium Oxide (1314-23-4)*					
ACGIH	STEL (mg/m ³)				
	TWA (mg/m ³)	5 mg/m³ Zr			
OSHA	STEL (mg/m³) 10 mg/m³ Zr				
	TWA (mg/m ³)	5 mg/m³ Zr			
Silicon Dioxide (7631-86-9)**					
ACGIH	TWA (mg/m ³)	10 mg/m ³			
DFG	MAK(mg/m ³)	4 mg/m ³			

^{*} As the ingredients are present as a solid solution, the individual values for ZrO₂ (considering major component) may be applicable for this material.

8.2 Exposure controls

Appropriate engineering controls : Provide local exhaust or general room ventilation.

Suitable ventilation / dust extraction system must be used in the workplace or on the equipment.

Personal protective equipment : Avoid all unnecessary exposure. Emergency eye

wash fountains and safety showers should be available in the immediate vicinity of any

potential exposure.

Hand protection : Neoprene or nitrile rubber gloves

Eye protection : Safety glasses/goggles

^{**} The values are for total dust containing no asbestos and < 1 % crystalline silica.



Date of Printing: 10.04.2024 SDS/Zircoat-M/Rev 3 Created: 10/04/2024

Skin and body protection : Wear suitable protective clothing. After work ensure

that skin is cleaned and hand care products are '

used.

Respiratory protection : In case of dust exposure respiratory protection

equipment must be worn. FFP2/FFP3 dust masks

with particle filters are recommended.

> Section 9.0 Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Cream
Condition Powder
Odour None
Melting point >2000°C
Freezing point Not Applicable
Ignition point Non Flammable

Bulk Density 3.0

Solubility in water Non soluble Porosity Not Applicable PH Not Applicable Vapour Pressure Not Applicable Viscosity Not Applicable Vapour Density Not Applicable Partition Co-efficient Not Applicable **Explosive Properties** Not Applicable Oxidising Properties Not Applicable **Evaporation Rate** Not Applicable

9.2. Other information

No additional information available

> Section 10.0 Stability and reactivity

10.1	Reactivity	: Not known
10.2	Chemical stability	: Stable
10.3	Possibility of hazardous reactions	: Not known
10.4	Conditions to avoid	: Not known
10.5	Incompatible materials	: Not known
10.6	Hazardous decomposition products	: Not known



SDS/Zircoat-M/Rev 3 Created:10/04/2024

Section 11.0 Toxicological information

Date of Printing: 10.04.2024

11.1 Information on the toxicological effects

Acute toxicity : Not classified Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified

Carcinogenicity : No evidence of carcinogenic effect

Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified Specific target organ toxicity (repeated exposure) : Not classified Aspiration hazard : Not classified

Symptoms/injuries after inhalation : Product dust generated through handling,

grinding, or sanding may cause irritation to the mucous membrane, eyes, skin and

respiratory organs.

Symptoms/injuries after skin contact : Product dust may cause skin irritation Symptoms/injuries after eye contact : Product dust may cause eye irritation

Symptoms/injuries after ingestion : No information available

Section 12.0 Ecological information

If used properly, no environmental problems are anticipated. Do not empty the product or collected dust into ground water or drains.

12.1 Toxicity :

BINDER

LC100 (4 days), Fish 1.949 g/L

12.2 Persistence & Degradability : Not known 12.3 Bioaccumulative Potential : Not known

12.4 Mobility in soil

12.5 Results of PBT and vPvB assessment : Product does not contain PBT or vPvB

substances (see. REACH Annex XIII)

12.6 Other Adverse Effect

Effect on ozone layer : Not known

Effect on the global warming : No Known effects from this product. GWP mix comment : No Known effects from this product.

Section 13.0 Disposal considerations

13.1 Waste treatment methods

Sewage disposal recommendations : Do not dispose of waste into sewer

Waste disposal recommendations : Landfill Dispose in a safe manner

in accordance with local/national regulations.



Date of Printing: 10.04.2024 SDS/Zircoat-M/Rev 3 Created: 10/04/2024

Ecology - waste materials : Avoid release to the environment

> Section 14.0 Transport information

No dangerous goods as defined by ADR/RID/ADN/GGVSEB, ICAO/IATA, IMDG, USDOT

14.1 UN number : Not regulated for transport.

14.2 UN proper shipping name : Not applicable
14.3 Transport hazard class(es) : Not applicable
14.4 Packing Group : Not applicable
14.5 Environmental Hazards : Not applicable

14.6 Special Precautions for the user : See section 7 and 8

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

: Not applicable

> Section 15.0 Regulatory information

15.1.: Safety, health and environmental regulations/legislation specific for the substance or mixture

H301: Toxic if swallowed
H315: Causes skin irritation

H318 : Causes serious eye damage H335 : May cause respiratory irritation







None of the chemicals in this product are considered highly hazardous by OSHA.

15.2.: Chemical safety assessment

A chemical safety assessment of the product or its components is not available.

> Section 16.0 Other information

16.1.: Abbreviations and acronyms

REACH: Regulation on Registration, Evaluation, Authorisation and

Restriction of Chemicals.

TWA: Time Weighted Average; OEL: Occupational exposure limit;

MAK: Maximum Workplace Concentration of the DGF (German



Date of Printing: 10.04.2024 SDS/Zircoat-M/Rev 3 Created: 10/04/2024

Research Foundation)

ACGIH: American Conference of Governmental Industrial Hygienists;

OSHA: Occupational Safety and Health Administration;

CAS No.: Chemical Abstract Service Registration Number;

EINECS: European Inventory of Existing Commercial Chemical

Substances

GHS: The Globally Harmonized System of Classification and labelling;

IATA: International Air Transport Association;

DOT: Department Of Transport;

IMDG: International Maritime Dangerous Goods;

RID: Regulations concerning the International Transport of Dangerous

Goods by Rail;

ADR: European Agreement concerning the International Carriage of

Dangerous Goods by Road;

ICAO: International Civil Aviation Organization

PBT: Persistent, bioaccumulative and toxic substances

vPvB: Very persistent and very bioaccumulative substances

Prepared by Jyoti Ceramic Industries In-House R&D Unit

Date of issue: 10.04.2024 Version: 3.0

The information is based on the current state of our knowledge and relates to the product in its condition as applied.

However, no guarantee, warranty or assurance is accepted either explicitly or implicitly for the accuracy, reliability and/or completeness of this information.

We expressly call on the person receiving this information to check on the suitability and completeness of this information for their particular information.